



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/895,511	06/29/2001	Ted Liang	042390P11354	8234

7590 12/05/2005

Michael A. Bernadicou  
BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP  
Seventh Floor  
12400 Wilshire Boulevard  
Los Angeles, CA 90025-1026

EXAMINER

ZERVIGON, RUDY

ART UNIT	PAPER NUMBER
----------	--------------

1763

DATE MAILED: 12/05/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

**Application No.**

09/895,511

**Applicant(s)**

LIANG ET AL.

**Examiner**

Rudy Zervigon

**Art Unit**

1763

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 27 September 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1,4-12 and 18-33 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,4-12 and 18-33 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                        | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)    | Paper No(s)/Mail Date. _____  |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                                    |

## DETAILED ACTION

### *Claim Rejections - 35 USC § 103*

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
2. Claims 1, 4-12, 18, 20, 25, and 27-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Casey, Jr. et al (USPat. 6,042,738) as demonstrated by Baum, Aaron Wolf et al (US 5,684,360 A) in view of Hashimoto, Hiroyuki (US 6,420,701 B1).

Casey teaches an apparatus (Figure 1) including:

- i. A holder (26) to mount a substrate / mask (30) in a chamber (22) by a stage (24) – Regarding the particular identity of the article to be processed, it is well established that apparatus claims must be structurally distinguished from the prior art (In re Danley, 120 USPQ 528, 531 (CCPA 1959). "Apparatus claims cover what a device is, not what a device does ." (emphasis in original) Hewlett - Packard Co . v. Bausch & Lomb Inc ., 15 USPQ2d 1525, 1528 (Fed. Cir. 1990), MPEP – 2114). Further, a claim containing a "recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus" if the prior art apparatus teaches all the structural limitations of the claim. *Exparte Masham*, 2 USPQ2d 1647 (Bd. Pat. App. & Inter. 1987).
- ii. A stage (24) adapted to position the holder in a chamber (22), and adapted to move in different directions (column 4, line 64 – column 5, line 3)
- iii. A pumping system ("vacuum chamber 22"; column 4, lines 31) adapted to evacuate the chamber

Art Unit: 1763

- iv. A first electron column<sup>1</sup> imaging system (28, 54; column 4, lines 38-45; column 5, lines 5-10; Figure 1; column 3, lines 8-16, “image and mill the workpiece”; column 4, lines 5-10; column 5, lines 5-10) adapted to locate (column 6, lines 17-30) an opaque defect (abstract; column 1, lines 5-10; column 2, lines 28-50; column 8, line 62 – column 9, line 2; ) in the substrate / mask, said imaging system (28; Figure 1; column 3, lines 8-16, “image and mill the workpiece”; column 4, lines 5-10; column 5, lines 5-10) disposed vertically above (28) said substrate (90; Figure 1)
- v. A gas delivery system (45, 34; column 5, lines 22-38) adapted to dispense a reactant gas towards the defect
- vi. A second electron column<sup>1</sup> delivery system (32; column 4, line 64 – column 5, line 12) adapted to direct electrons towards the opaque defect (column 3, lines 60-65) to induce chemical etching by the reactant gas and said electrons to induce said gas to etch said opaque defect without ion “bombardment, and without ion implantation or knock-on of atoms” – “methods of gas-assisted etching using an etching gas including bromine” (abstract). It is noted that when the structure recited in the reference is substantially identical to that of the claims, claimed properties or functions are presumed to be inherent (In re Best, 562 F.2d 1252, 1255, 195 USPQ 430, 433 (CCPA 1977); MPEP 2112.01).
- vii. DUV/EUV mask / substrate (column 1, lines 35-45)
- viii. Chrome opaque defect (column 3, lines 3-4; line 55)
- ix. An ion focusing control system (18; column 4, lines 28-44) and scanning control system (62, column 4, lines 39-43)

---

<sup>1</sup> Baum, Aaron Wolf et al (US 5,684,360 A) teaches the art-accepted definition of “electron beam column” (column

Art Unit: 1763

- x. An acceleration system (“JEOL Model 6400”) providing a low acceleration voltage (column 9, lines 20-25)
- xi. A computer controller (50, column 4, lines 38-45; column 7, lines 33-44) adapted to control the electron delivery system
- xii. The gas delivery system (34; column 5, lines 22-38) is also adapted to “dispense a carrier gas towards said opaque defect”, “said gas comprises water or oxygen” (claim 29), “said gas comprises Xenon Fluoride (XeF<sub>2</sub>)” (claim 30) – Applicant’s claim 18, 29, 30 limitations are intended use claim requirements. Further, it has been held that claim language that simply specifies an intended use or field of use for the invention generally will not limit the scope of a claim (Walter , 618 F.2d at 769, 205 USPQ at 409; MPEP 2106). Additionally, in apparatus claims, intended use must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim (In re Casey, 152 USPQ 235 (CCPA 1967); In re Otto , 136 USPQ 458, 459 (CCPA 1963); MPEP 2111.02).
- xiii. Applicant’s claim 20 limitation of “the reactant gas absorbs to said opaque defect and becomes disassociated” are intended use claim requirements. Further, it has been held that claim language that simply specifies an intended use or field of use for the invention generally will not limit the scope of a claim (Walter , 618 F.2d at 769, 205 USPQ at 409; MPEP 2106). Additionally, in apparatus claims, intended use must result in a structural difference between the claimed invention and the prior art in order to patentably

Art Unit: 1763

distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim (In re Casey, 152 USPQ 235 (CCPA 1967); In re Otto, 136 USPQ 458, 459 (CCPA 1963); MPEP 2111.02).

Casey does not teach that Casey's first electron column (28; Figure 1; column 3, lines 8-16, "image and mill the workpiece"; column 4, lines 5-10; column 5, lines 5-10) is used to direct a first set of electrons towards a substrate.

Hashimoto teaches an electron column (12; Figure 6; column 11, lines 58-67) used to direct a first set of electrons towards a substrate (15; Figure 6).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to add Hashimoto's electron column to Casey's apparatus and to optimize the operation of Casey's apparatus to avoid damaging underlying layers of the processed substrate.

Motivation to add Hashimoto's electron column to Casey's apparatus and to optimize the operation of Casey's apparatus to avoid damaging underlying layers of the processed substrate is for locating and processing specific regions of the substrate as taught by Hashimoto (column 7, lines 1-10), and to minimize substrate damage as taught by Casey (column 9; lines 65-67). Further, it is well established that the duplication of parts is obvious (In re Harza, 274 F.2d 669, 124 USPQ 378 (CCPA 1960) MPEP 2144.04). It would be obvious to those of ordinary skill in the art to optimize the operation of the claimed invention (In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980); In re Hoeschele, 406 F.2d 1403, 160 USPQ 809 (CCPA 1969); Merck & Co. Inc. v. Biocraft Laboratories Inc., 874 F.2d 804, 10 USPQ2d 1843 (Fed. Cir.), cert. denied, 493 U.S. 975 (1989); In re Kulling, 897 F.2d 1147, 14 USPQ2d 1056 (Fed. Cir. 1990), MPEP 2144.05).

Art Unit: 1763

3. Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Casey, Jr. et al (USPat. 6,042,738) as demonstrated by Baum, Aaron Wolf et al (US 5,684,360 A) in view of Hashimoto, Hiroyuki (US 6,420,701 B1) and Fuji, Eiji et al (US 5,876,504 A). Casey and Hashimoto are discussed above. Casey and Hashimoto do not teach the angle of gas injection of Casey's gas delivery system (45, 34; column 5, lines 22-38) has an angular dispersion of 5-25°. Fuji teaches a variably positioned gas injection nozzle (8; Figure 2).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to replace Casey and Hashimoto's gas injector nozzle with Fuji's variably positioned gas injection nozzle (8; Figure 2).

Motivation to replace Casey and Hashimoto's gas injector nozzle with Fuji's variably positioned gas injection nozzle (8; Figure 2) is for establishing laminar flow on the substrate as taught by Fuji (column 4, lines 35-40).

4. Claims 21-24, 26, 32, and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Casey, Jr. et al (USPat. 6,042,738) as demonstrated by Baum, Aaron Wolf et al (US 5,684,360 A) in view of Hashimoto, Hiroyuki (US 6,420,701 B1). Casey and Hashimoto are discussed above. Casey does not teach operating pressures in 0.5-10.0mTorr, "a beam comprising a current of about 0.05-1.0nA", second electrons beams with diameters of about 5-125nm and energies of 0.-3.0keV. Casey further does not teach that his reactor is either reaction-limited or mass transfer limited as claimed by Applicant's claim 33 – However, when the structure recited in the reference is substantially identical to that of the claims, claimed properties or functions are presumed to be inherent (In re Best, 562 F.2d 1252, 1255, 195 USPQ 430, 433 (CCPA 1977); MPEP 2112.01).

Art Unit: 1763

Hashimoto further teaches an electron beam apparatus (Figure 7) including operating pressures up to 100picoTorr (column 6, lines 15-20), beam currents of about 1.0nA (column 7, lines 1-10), electrons beams with diameters of about 5-125nm ("not more than 1 micrometer"; column 7, lines 1-10) and energies of 3.0keV (column 7, lines 23-31).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to replace Casey's electron emitting column with Hashimoto's electron emitting column (12; Figure 7).

Motivation to replace Casey's electron emitting column with Hashimoto's electron emitting column (12; Figure 7) is for thin film processing as taught by Hashimoto (column 6, lines 30-41).

#### ***Response to Arguments***

5. Applicant's arguments filed September 27, 2005 have been fully considered but they are not persuasive.

6. Applicant's arguments are directed to the claim amendments as stated. In response, the Examiner directs Applicant to the above new grounds of rejection as necessitated thereby.

#### ***Conclusion***

7. Applicant's amendment necessitated the new ground of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after



Art Unit: 1763

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Rudy Zervigon whose telephone number is (571) 272.1442. The examiner can normally be reached on a Monday through Thursday schedule from 8am through 7pm. The official fax phone number for the 1763 art unit is (703) 872-9306. Any Inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Chemical and Materials Engineering art unit receptionist at (571) 272-1700. If the examiner can not be reached please contact the examiner's supervisor, Parviz Hassanzadeh, at (571) 272-1435.

